

Room Nos. 1 to 4 at Second Floor**Room Nos. 5 to 9 at Third Floor****20.11.2019**

S.No.	Title Of Case	Arbitrator Name	Time	Purpose	Case No.
1	Stup Consultants vs Indian Oil Corp.	Ms. Justice Aruna Suresh, Retd.	10:00 - 01:00	Dictation	663
2	Transparent Energy vs GAIL	Mr. Justice R.C. Chopra, (Retd.)	11:00 - 01:00	F. Arg.	629
3	Burson Housteller vs VRS Foods Pvt. Ltd.	Mr. B.C. Pandey, Adv.	11:00 - 01:00	xxx	1767
4	ISKPRO Pvt. Ltd. vs Nitin Ganwar	Mr. Hirein Sharma, Advocate	12:00	AWARD	1965
5	Picasso vs Pick a cent	Ms. Bimla Maken, DJ (retd.)	02:00 - 05:00	Arg.	1371
6	Osaka Alloys vs MSTC Ltd.	Mr. H.S. Sharma, Distt. Judge (Retd.)	02:00 - 05:00	Evi.	2227
7	Indus Advertising vs MCD	Ms. Isha Khanna, Adv.	02:00 - 04:00	Evi.	1056
8	NLDK Timbers vs B.L. Kapoor Hospital	Mr. S.K. Tandon, ADJ, Retd.	02:00 - 04:00	Evi.	683
9	BCPL Railway Infrastructure vs Union of India	Mr. Bharat Bhushan, ADJ (Retd.)	2:00	Evi.	2275
10	RCI Industries & Technologies vs Manish Aggarwal	Mr. Justice S.N. Aggarwal [Retd.]	02:30 - 05:30	xxx	2317
11	R.K. Associates vs Sanjeev Kr. Malhotra & Ors.	Mr. Justice K. Ramamoorthy (Retd.)	2:30	Evi.	2213
12	Sunehari Bagh Builders vs IGNOU & Anr.	Ms. Harkiran Kalra, Advocate	02:30 - 04:00	Arg.	2043
13	Sh. Jaideep Singh vs GNCT of Delhi	Mr. J. R. Aryan, DJ, Retd.	03:00 - 04:00	Issues	2386
14	Joginder Pal vs Chennai Network	Ms. Radhika Kolluru, Advocate	03:30 - 05:00	F.P.	1866
15	Nanu Production LLP vs Laad Films	Mr. Justice V. K. Shali (Retd.)	3:30	Arg.	1900
16	Radius Infotech vs JMD Ltd.	Mr. Virender Sood, Advocate	04:00 - 05:00	F.P.	2114
17	Berggruen Car Rentals vs DNATA International	Mr. Amit Bansal, Advocate	04:00 - 06:00	xxx	2201
18	Jitender Singh Dhawan vs Today Homes & Infrac.	Mr. Brajesh Kumar, ADJ (Retd.)	04:00 - 05:00	Issues	2377
19	Slipco Construction vs Larsen & Toubro	Ms. Justice G. Rohini, C.J. DHC (Retd.)	4:00	F.P.	2174
20	Mphasis Ltd. vs Punjab National Bank	Mr. Justice G.P. Mittal (Retd.)	4:15	AWARD	2036

Note=> For any queries please contact at Reception of DIAC.

=> Room No. can be checked at Reception of DIAC